



ARGO-HYTOS Protech

Introduction of the Company

We produce fluid power **solutions**

Introduction of the Company


History of the company:



- first experience with the hydraulics is dated back to the year 1964
- beginning of project engineering as a part of VÍTKOVICE Research and Development Department (10 employees);
- year 1990 – foundation of the project engineering department Hydraulics and Pneumatics in VÍTKOVICE Engineering (85 employees);
- year 1993 - PJ 944 VÍTKOVICE – divize podniky (65 employees);
- year 1994 - VÍTKOVICE Hydraulics and Pneumatics s.r.o. (55 employees);
- HYTOS PROTECH appeared when HYTOS a.s. Vrchlabí purchased VÍTKOVICE Hydraulics and Pneumatics s.r.o. – beginning of our company with a new name is dated January 1, 1997 (26 employees in the year 2008).
- At the end of 2010, our firm transferred under the direct control of the holding FSP
- In 2011 the name change to the ARGO-HYTOS Protech sro.

Introduction of the Company

Introduction – Organisation ARGO - HYTOS



- turnover of organisation was above USD 178 millions
- employees approx. 1200
- main market: Germany 50%, Europe 40%, America 8%
- 70% of production was for primary producers, 30% - distribution companies
- filtration / fluid & motion control – 60 / 40
- rate of mobile / industrial hydraulics – 75 / 25


Introduction of the Company

Basic activities

- Hydraulics for various machinery and technological equipment in industry. The most important segments::
 - sales of articles of commerce (especially products of ARGO-HYTOS group) – **group AP**
 - service activities – **group AS**
 - custom-designed power units acc. to specific requirements – general industrial applications – **group B**
 - custom-designed power units especially for primary producers (OEM) – **group C** subdivided into:
 - C1 – energy industry – Škoda Power and its subsuppliers
 - C2 – rubber industry
 - C3 – energy industry – other companies + controlling of armatures
 - C4 – furnaces
 - C5 – pressing machines
 - C6 – production lines
 - C7 – single-purpose machines, working machines
 - C8 - lubrication and cooling systems (a separate group since 2009)
 - C9 – wood and paper industry (a separate group since 2009)
 - C10 – water works (power plants, dams, weir gates, lifting bridges) (a separate group from 2010)
 - hydraulic systems of large size – **group D**
 - hydraulic systems – final products – test stands with hydraulics – **group E**
- we provide complete projects and deliveries in closed cycle
PROJECT - DOCUMENTATION - PRODUCTION - ASSEMBLY - COMMISSIONING - SERVICE
- year 2008 – turnover CZK 108 millions, gross profit CZK 17.6 millions

Introduction of the Company

Turn over



Introduction of the Company

Customers group B

Custom–designed Hydraulic Power Units for General Purposes:

- **Distinctiveness :**

- compact solutions mostly – pressure source and control elements being part of a reservoir;
- low repeatability of identical equipment, supply of a few pieces yearly;
- mostly without terminal box or electro-control system;
- often with no demand for larger scope of supply – actuators (hydraulic cylinders, hydraulic motors), pipe-lines, commissioning;
- large portfolio of customers with occasional take-off and a number of end-users

- **Main strong points - advantages :**

- possibility to use some concepts of “series hydraulic power units” of mother company ARGO–HYTOS Vrchlabí;
- bargain material input for products of ARGO–HYTOS and also for standard products of other suppliers of ARGO–HYTOS group (e.g. electromotors, gear and variable displacement pumps, accumulators and coolers, reservoirs etc.);
- customer service from large engineering organization for reasonable price (know-how, high quality documentation, service group, availability of spare parts etc.).

Introduction of the Company

Group B - examples



Custom-designed HPU

- Serial No.: 08036
- Customer: ULBRICH HYDROAUTOMATIK s.r.o.
- Order No.: 8042/08
- Circuit diagram: 3-H-41 788
- Implementation date: July 2008
- Main parameters:
 - reservoir volume 100 dm³
 - pump double gear pump
 - electromotor 7,5 kW, 400/690 V, 1500 rpm
 - working pressure 14 MPa
 - working flow 20 dm³.min⁻¹
 - scope of delivery hydraulic power unit

Introduction of the Company

Customers group C1

Custom-designed Hydraulic Power Units for Škoda Power and its Subsidiaries (G-team, Tyco, Emerson etc.):

- **Distinctiveness :**

- complex supply of hydraulics mostly – hydraulic power unit, servo-actuators, working fluid, pipe-lines, commissioning and training;
- taking into account the equipment sophistication (danger of large damages and financial losses) it is necessary to implement a lot of specific demands – see below;
- connection of electric items to terminal box mostly (especially on hydraulic power units) or by means of connectors Harting (on servo-actuators);
- longer time schedule of particular job orders, similarity of hydraulic systems;
- job orders implemented worldwide in years 2007-2008 – India, Pakistan, Finland, Denmark, Croatia, Germany and Russia, also lubrication and cooling systems in Romania, Chile, Turkey, Latvia

- **Main strong points - advantages:**

- interesting price level, flexibility and adaptation by meeting the extremely high requirements set by branch and customer contrary to the dominant competitor Rexroth company especially as for turbines with lower output;
- making use of high technical erudition – see description of typical demands;
- effort to constantly improve and modify technical solutions unlike the opposite tendency to supply routinely.

Introduction of the Company

Customers group C1

Definition of the Basic Standards (Requirements) for Hydraulic Systems

- **Hydraulic power unit – most frequent requirements :**

- stainless steel reservoir with oil sump, enclosure of hydraulic power unit (noise and dirt);
- redundancy of pressure source, accumulators with pressure fluid reserve for 3-4 cycles of servo-actuators;
- multiple monitoring of working parameters of fluid (temperature, level, pressure);
- utilization of synthetic, fire-resistant and biodegradable hydraulic fluid;
- off-line unit for filling with working fluid, in special cases for fluid regeneration during operation

- **Servo-actuators – most frequent requirements :**

- dividing into 2 types of main function – stop valves and control valves actuators;
- the main demand for stop valve actuators is short closing time – up to 200 ms with controlled reach the end position, safe position ensured by springs, redundancy of safety function, control by seat valves;
- control pressure for stop valve actuators with the “function 2/3” – disconnection of at least two out of three electromagnets will ensure fast close of steam at the inlet of turbine;
- servo-valves connected in the way that operational safety is increased;
- adequate filtration without by-pass;
- continual position monitoring in multiple (redundant) design

Introduction of the Company

Group C1 - examples



Custom-designed HPU – High Pressure HS Fynsvaerket 38MW

- Serial No.: 08017
- Customer: ŠKODA POWER a.s.
- Order No.: 8021/08
- Circuit diagram: 1-H-41 575
- Implementation date: June 2008
- Main parameters:
 - reservoir volume 300 dm³, stainless steel
 - pump variable displacement + gear pump
 - electromotor 2x 7,5 kW, 400/690 V, 1500 rpm
 - working pressure 16 MPa
 - working flow 22+35 dm³.min⁻¹
 - scope of delivery hydraulic system

Introduction of the Company

Group C1 - examples

Custom-designed HPU – High Pressure HS Fynsvaerket 38 MW



Introduction of the Company

Group C1 - examples



Custom-designed HPU - Muridke

- Serial No.: 08055
- Customer: G - Team a.s.
- Order No.: 8061/08
- Circuit diagram: 1-H-41 980
- Implementation date: September 2008
- Main parameters:
 - reservoir volume 160 dm³, stainless steel
 - pump 2x T2-gear
 - electromotor 2x 7,5 kW, 400/690 V, 1455 rpm
 - working pressure 16 MPa
 - working flow 17,3 dm³.min⁻¹
 - scope of delivery hydraulic system

Introduction of the Company

Group C1 - examples



Custom-designed HPU – Flap Actuators

- Serial No.: 08068
- Customer: Tyco, s.r.o.
- Order No.: 8084/08
- Circuit diagram: 3-H-42 270
- Implementation date: March 2009

- Main parameters:
 - reservoir volume -
 - pump -
 - electromotor -
 - working pressure 16 MPa
 - working flow 10 dm³.min⁻¹
 - scope of delivery flap actuators

Introduction of the Company

Customers – Group C2

Rubber Industry (Main Customers – Buzuluk, Konštrukta Industry):

- **Distinctiveness :**

- hydraulic power units mostly – in special cases including actuators, pipe-lines and commissioning;
- specific demands regarding machines design concept are fulfilled – important criteria is to comply with safety demands set by specific norms and markets;
- hydraulic power units have character of repeatability within a number of pieces yearly;
- job orders implemented worldwide – mainly in China, India, Russia and former USSR countries

- **Main strong points - advantages :**

- combination of above mentioned advantages (price, technical erudition – systems working in closed loop control);
- long term cooperation made communication during defining parameters for new machines easier, possible misunderstandings eliminated;
- good knowledge of know-how concerning particular technologies or machines and ability to suggest interesting solutions in comparison with standards of worldwide competitors;
- meeting the specific demands of customers

Introduction of the Company

Customers – Group C2

Main Machines

- **Buzuluk :**

- mixing lines (hydraulics of mixers), cooling machines (if they are with hydraulic system);
- two-roll mills (eventually completed by scrapping desks and stockblenders);
- calandering lines (roller head, roller die, multiple-roll calanders);
- tire testing machines

- **Konštrukta :**

- mono extrusion lines;
- multi extrusion lines (duplex, triplex, quadroplex);
- production of APEX

Introduction of the Company

Group C2 - examples



Custom-designed HPU - Mixing Machine

- Serial No.: 08022
- Customer: BUZULUK Komárov a.s. .
- Order No.: 8026/08
- Circuit diagram: 1-H-41 541
- Implementation date: June 2008
- Main parameters:
 - reservoir volume 630 dm³
 - pump PV-axial piston
 - electromotor 37 kW, 400/690 V, 1500 rpm
 - working pressure 0,5 – 25 MPa
 - working flow 180/0-120 dm³.min⁻¹
 - scope of delivery hydraulic power unit

Introduction of the Company

Group C2 - examples



Custom-designed HPU - HS for Five-roll Mill

- Serial No.: 08045
- Customer: BUZULUK Komárov a.s.
- Order No.: 8051/08
- Circuit diagram: 1-H-42 071
- Implementation date: February 2009

- Main parametres:
 - reservoir volume 160 dm³
 - pump T2-gear
 - electromotor 0,55/7,5 kW, 230/ 400 V, 1500 rpm
 - working pressure 23 MPa
 - working flow 23/27,5 dm³.min⁻¹
 - scope of delivery hydraulic power unit

Introduction of the Company

Group C2 - examples

Example of machines: Buzuluk – Mixer, Calendering Line - Two-roll Head



Introduction of the Company

Group C2 - examples



Customer-designed HPU - Jaroslavl

- Serial No.: 08037
- Customer: KONŠTRUKTA INDUSTRY, a.s.
- Order No.: 8043/08
- Circuit diagram: 3-H-41 886, 888, 890, 892, 894
- Implementation date: August 2008

- Main parameters:
 - reservoir volume 60 dm³
 - pump T2-gear
 - electromotor 4 kW, 400/690 V, 1500 rpm
 - working pressure 28 MPa
 - working flow 8 dm³.min⁻¹
 - scope of delivery 5x hydraulic power unit



Introduction of the Company

Group C2 - examples

Example of machines: Konštrukta – Duplex and Triplex



Introduction of the Company

Customers – Group C3

Energy Industry other customers + Controlling of Armatures

- **Distinctiveness :**

- hydraulic systems mostly – hydraulic power unit + actuators + pipe-lines + fluid + commissioning;
- hydraulic power units have character of repeatability within a number of pieces yearly;
- energy industry (Ekol Brno, AEZ, PBS Energo + reconstruction);
- controlling of armatures (energy industry: Tyco, Emersson, Polná, Armatury Group, G-team or steel making: Vesuvius, Vítkovice, Pilsen Steel - controlling of slide gates);
- job orders implemented especially in Europe – Poland, Bulgaria, Slovakia, the Czech Republic

- **Main strong points - advantages :**

- we take advantage of energy industry know-how awareness arised from cooperation with Škoda Power;
- combination of above mentioned advantages (price, technical erudition – systems working in closed loop control).

Introduction of the Company

Group C3 - examples



Custom-designed HPU – High Pressure HS Chomutov

- Serial No.: 08067
- Customer: AEZ, s.r.o.
- Order No.: 8083/08
- Circuit diagram: 1-H-42 400
- Implementation date: November 2008
- Main parameters:
 - reservoir volume 160 dm³
 - pump 2x T2-gear
 - electromotor 2x 4 kW, 400/690 V, 1500 rpm
 - working pressure 21 MPa
 - working flow 10 dm³.min⁻¹
 - scope of delivery hydraulic system



Introduction of the Company

Group C3 - examples



Custom-designed HPU – High Pressure HS Burgas (Bulgaria)

- Serial No.: 08074
- Customer: PBS ENERGO, a.s.
- Order No.: 8090/08
- Circuit diagram: 1-H-42 408
- Implementation date: February 2009
- Main parameters:
 - reservoir volume 160 dm³
 - pump 2x T2-gear
 - electromotor 2x 3 kW, 400/690 V, 1500 rpm
 - working pressure 21 MPa
 - working flow 7 dm³.min⁻¹
 - scope of delivery hydraulic system

Introduction of the Company

Group C3 - examples

Example of machines:



Introduction of the Company

Customers – Group C4

Furnaces

- **Distinctiveness :**

- hydraulic systems mostly – hydraulic power unit + actuators + pipe-lines + commissioning;
- hydraulic power units have character of repeatability;
- job orders implemented in the Czech Republic mostly;
- whole range of customers - TPP Olomouc, BKB Metal, Dotec Energo, TTS Eko etc.

- **Main strong points - advantages :**

- combination of above mentioned advantages – especially price;
- reasonable solutions for manipulation with heavy loads – bell (gate door), latching device and emergency release of the bell (gate door).

Introduction of the Company

Group C4 - examples



Custom-designed HPU - HS of bell-furnace, Brück

– Serial No.:	08007
– Customer:	TEPLOTECHNA PRŮM. PECE, s.r.o.
– Order No.:	8010/08
– Circuit diagram:	3-H-41397
– Implementation date:	April 2008
– Main parameters:	
reservoir volume	400 dm ³
pump	PV-axial piston
electromotor	30 kW, 400/690 V, 1500 rpm
working pressure	15 MPa
working flow	80 dm ³ .min ⁻¹
scope of delivery	hydraulic system

Introduction of the Company

Group C4 - examples



Custom-designed HPU - Boiler VESKO B 6,0 MW

- Serial No.: 08028
- Customer: TTS eko s.r.o.
- Order No.: 8034/08
- Circuit diagram: 3-H-41 596
- Implementation date: April 2008
- Main parametres:
 - reservoir volume 250 dm³
 - pump GHP3-D-50
 - electromotor 2x 18 kW, 400/690 V, 1500 rpm
 - working pressure 18 MPa
 - working flow 2x 50 dm³.min⁻¹
 - scope of delivery hydraulic system

Introduction of the Company

Group C4 - examples

Example of implementations: Bell Furnace, Glowing Furnace



Introduction of the Company

Customers – Group C5

Pressing Machines

- **Distinctiveness :**

- hydraulic systems mostly – hydraulic power unit + actuators + pipe-lines + commissioning;
- observation of the specific safety norms for pressing machines (forming, cutting, straightening and vulcanization) running in standard, differential connection or with filling valve;
- job orders implemented especially in the Czech Republic;
- the most important OEM – Dieffenbacher, Žďas, Müller Weingarten AG + reconstructions for the whole range of customers..

- **Main strong points - advantages :**

- combination of above mentioned advantages – especially price;
- option for dominant producer of pressing machines hydraulic systems – Rexroth, Parker;
- within the scope of reconstruction of hydraulic systems – covering the electro control.

Introduction of the Company

Group C5 - examples



Custom-designed HPU -

- Serial No.: 08075
- Customer: DIFFENBACHER – CZ, s.r.o.
- Order No.: 8091/08
- Circuit diagram: 1-H-42 333
- Implementation date: January 2009

Custom-designed HPU – HS of Pressing Machine 800 kN

- Main parameters:
 - reservoir volume 400 dm³
 - pump gear
 - electromotor 1,5/30 kW, 230/400 V, 1500 rpm
 - working pressure 2,2-26 MPa
 - working flow 56,5/60 dm³.min⁻¹
 - scope of delivery hydraulic system

Introduction of the Company

Group C5 - examples



Custom-designed HPU -

HS for General Overhaul of Pressing Machine CTC250

– Serial No.:	08060
– Customer:	ArcelorMittal Ostrava a.s.
– Order No.:	8075/08
– Circuit diagram:	1-H-42 127
– Implementation date:	November 2008
– Main parameters:	
reservoir volume	400 dm ³
pump	P2-axial piston
electromotor	22 kW, 400/690 V, 1500 rpm
working pressure	2-25 MPa
working flow	51,5+43 dm ³ .min ⁻¹
scope of delivery	electro-hydraulic system

Introduction of the Company

Group C5 - examples

Example of Pressing Machines – Dieffenbacher Company



Introduction of the Company

Customers – Group C6

Production Lines

• Distinctiveness :

- hydraulic systems mostly – hydraulic power unit + valve tables or manifolds + pipe-lines + commissioning;
- the design is to be defined in accordance with a production type and customer requirements;
- job orders implemented especially in the Czech Republic;
- this refers as to primary producers so to reconstructions at end users facilities:
 - foundry lines (TMT, Mencl Guss, Kasi, Metakon etc.)
 - manufacturing of metal plates, tubes (ITS Benda, Ingeteam, BKB Metal, MEZ Mohelnice, Tranza, Železářny Podbrezová etc.).

Main strong points - advantages:

- combination of above mentioned advantages – especially price;
- complex of services, ability to find the solution for the whole range of prototype machines on the base of our experience with similar applications / problematics.

Introduction of the Company

Group C6 - examples



Custom-designed HPU -

HPU + Manifolds for PoDL Pragmet

– Serial No.:	08016
– Customer:	ITS BENDA s.r.o.
– Order No.:	8020/08
– Circuit diagram:	2-H-41 514
– Implementation date:	April 2008
– Main parameters:	
reservoir volume	400 dm ³
pump	variable displacement piston pump
electromotor	22 kW, 400/690 V, 1500 ot.min ⁻¹
working pressure	16 MPa
working flow	88,5/63 dm ³ .min ⁻¹
scope of delivery	hydraulic power unit

Introduction of the Company

Group C6 - examples



Custom-designed HPU -

- Serial No.:
- Customer:
- Order No.:
- Circuit diagram:
- Implementation date:
- Main parameters:
- reservoir volume
- pump
- electromotor
- working pressure
- working flow
- scope of delivery

HS of Thermoflattening Line

08038
Ingeteam a.s.
8044/08
1-H-41764, 41765, 41768, 41772,
41774, 41770, 41784
July 2008
400/1000 dm³
PV-axial piston
0,37/0,55/0,75/1,5/15/37 kW,
400/690 V, 1500/900 rpm
10 MPa
50+52+30 dm³.min⁻¹
hydraulic system

Introduction of the Company

Group C6 - examples

Example of the Production Line



Introduction of the Company

Customers – Group C7

Single-purpose Machines and Working Machines, Traction Vehicles n Lines

• Distinctiveness :

- hydraulic systems mostly – hydraulic power unit;
- the design is to be defined in accordance with a production type and customer requirements, as for primary producer the design is characterized by repeatability of production;
- job orders implemented according to customer range (traction vehicles – especially Russia);
- it refers to primary production and also to reconstruction – especially for working machines:
 - working machines (TOS Čelákovice a.s., Tajmac–ZPS, Strojtos etc.) – domain of mothers company
 - single-purpose machines – blanking (Elvac achinery, Sirius, Inteso)
 - reconstruction of working machines (Vítkovice Mechanika etc.)
 - traction (MTH Praha).

Main strong points - advantages:

- combination of above mentioned advantages – especially price.

Introduction of the Company

Group C7 - examples



Custom-designed HPU–

- Serial No.: 07050
- Customer: TOS a.s.,
- Order No.: 7063/07
- Circuit diagram: 1-H-40 403
- Implementation date: August 2007

– Main parameters:

reservoir volume	180 dm ³
pump	double gear
electromotor	1,1/1,5kW, 230/400 V, 1500 rpm
working pressure	6/2,5 MPa
working flow	8+3 dm ³ .min ⁻¹
scope of delivery	hydraulic power unit + electro

Working Machine

Introduction of the Company

Group C7 - examples



Custom-designed HPU -

- Serial No.:
- Customer:
- Order No.:
- Circuit diagram:
- Implementation date:

Punching Machine ELROB

- 08063
- ELCOM MACHINERY, s.r.o.
- 8079/08
- 3-H-42 212
- September 2008
- Main parameters:
 - reservoir volume 120 dm³
 - pump T2-gear
 - electromotor 1,5/7,5 kW, 230/400 V, 1500 rpm
 - working pressure 145 bar
 - working flow 28+14 dm³.min⁻¹
 - scope of delivery hydraulic power unit

Introduction of the Company

Group C7 - examples



Custom-designed HPU -

Hydraulic System

- | | |
|------------------------|---|
| – Serial No.: | 07099 |
| – Customer: | MTH Praha a.s. |
| – Order No.: | 7124/07 |
| – Circuit diagram: | 1-H-40 667 |
| – Implementation date: | January 2008 |
| – Main parameters: | |
| reservoir volume | 400 dm ³ |
| pump | variable piston pump with pressure controller |
| electromotor | 55 kW, 400/690 V, 1500 rpm |
| working pressure | 18/20 MPa |
| working flow | 58-90/70 dm ³ .min ⁻¹ |
| scope of delivery | hydraulic power unit |

Introduction of the Company

Group C7 - examples

Example of Machines – Ballast Plough, Milling Machine OFA



Introduction of the Company

Customers – Group C8

Lubrication and Cooling Systems

• Distinctiveness :

- the design is to be defined in accordance with a production type and customer requirements, as for primary producer the design is characterized by repeatability of production. Specific requirements for working fluids with high viscosity, the method of cooling and cooling performance, redundancy etc.);
- simple lubrication systems with low repeatability are classified into Group B or may be a part of high pressure system - for example the Group C7 for machine tools.
- job orders implemented according to customer range - generally the whole world using representatives of Argo-Hytos;
- it refers to primary production – especially for energy industry respectively energy transmissions – Wikov MGI, PBS Energo and others, such as AVL Moravia.).

Main strong points - advantages:

- in many cases, knowledge and ability to supply also the high pressure part – for example the high pressure control system of steam turbines or water power plants;
- combination of above mentioned advantages – especially price

Introduction of the Company

Group C8 - examples



Custom-designed HPU– for Transmission of

- Customer:
- Order No.:
- Circuit diagram:
- Implementation date:

Lubrication and Cooling System Water Power Plant

Wikov MGI a.s.

10 020/10

3-H-43 530

June 2010

- Main parameters:

reservoir volume

700 dm³ (a part of transmission)

pump

gear pump – Sauer-Danfoss

electromotor

2x 5,5kW, 400 V, 4 and 6-pole

working flow

130 + 180 dm³.min⁻¹

working pressure

separate lubrication and cooling
system, free parts (photo of testing)

Introduction of the Company

Group C8 - examples



Custom-designed HPU -

- HPU No.: 09028
- Customer: PBS ENERGO, a.s.
- Order No: 9036/09
- Circuit diagram : 3-H-42 955
- Implementation date: November 2009

- Main parameters :
 - reservoir volume 250 dm³
 - pump 3x QP-80
 - electromotor 2x1,5/0,82 kW, 230/400 V, 1500 rpm
 - working pressure 0,3 MPa
 - working flow 3x 0-80 dm³.min⁻¹
 - scope of delivery hydraulic system

Lubrication and Cooling System of SteamTurbine

Introduction of the Company

Group C8 - examples



Custom-designed HPU -

for lubrication

- HPU No.: 09031
- Customer: AVL Moravia s.r.o.
- Order No: 9041/09
- Circuit diagram: 3-H-42 834
- Implementation date: June 2009
- Main parameters:
 - reservoir volume 60 dm³
 - pump P2- gear pump
 - electromotor 1,5 kW, 230/400 V, 900 rpm
 - working pressure 12 / 17 MPa
 - working flow 1,9 / 3 dm³.min⁻¹
 - scope of delivery 4 x HPU

Introduction of the Company

Customers – Group C9

Wood and Paper Industry

- **Distinctiveness :**

- the design is to be defined in accordance with a production type and customer requirements, as for primary producer the design is characterized by repeatability of production, especially companies Dřevostroj Čkyně a.s. and Papcel a.s;
- job orders implemented according to customer range

Main strong points - advantages:

- combination of above mentioned advantages – especially price

Introduction of the Company

Group C9 - examples



Custom-designed HPU–

cross-cutting and edging

- HPU No.: 09021
- Customer : DŘEVOSTROJ Čkyně ,a.s
- Order No: 9029/09
- Circuit diagram : 3-H-42 747
- Implementation date : May 2009

- Main parameters :
 - reservoir volume 160 dm³
 - pump LRR030DRP1610
 - electromotor 7,5 kW, 400-690 V, 1500 rpm
 - working pressure 10 MPa
 - working flow 43 dm³.min⁻¹
 - scope of delivery HPU

Introduction of the Company

Customers – Group C10

Water works (power plants, dams, weir gates, lifting bridges etc.) Industry

• Distinctiveness :

- the design is to be defined in accordance with a production type and customer requirements, as for primary producer the design is characterized by repeatability of production;
- manufacturers of water turbines and accessories are dominant in this group;
- job orders implemented according to customer range - generally the whole world using representatives of Argo-Hytos;
- it refers to primary production – companies Mavel, ČKD Blansko Small Hydro, Armatury Group, Strojírny Podzimek

Main strong points - advantages:

- specific problems for water turbines respectively water works as a whole;
- combination of above mentioned advantages – especially price.

Introduction of the Company

Group C10 - examples



Custom-designed HPU–

- Customer:
- Order No:
- Circuit diagram:
- Implementation date:

Regulation MVE

Mavel, a.s.
10 007/10
3-H-43 383
March 2010

– Main parameters:

reservoir volume	160 dm ³
pump	gear pump + accumulator
electromotor	7,5 kW, 400 V, 1500 rpm
working pressure	15 MPa
scope of delivery	hydraulic power unit for regulation of Kaplan turbine

Introduction of the Company

Customers – Group D

Hydraulic Systems of Large Size

• Distinctiveness :

- complex hydraulic systems mostly – hydraulic power unit + actuators + pipe-lines + commissioning;
- the design is to be defined in accordance with a production type and customer requirements;
- job orders implemented in the Czech Republic;
- low chance of repeatability, irregularity of job orders;
- branches of heavy industry– steel production and manufacturing;
- it refers to final users – new installations + reconstructions;
- customers: Vítkovice Heavy Machinery, Evraz, ArcelorMittal Ostrava a.s., Paul Wurth, TMT.

Main strong points - advantages:

- combination of above mentioned advantages – especially price and system complexity;
- option for strong transnational leaders – especially BR.

Introduction of the Company

Group D - examples



Custom-designed HPU–

HS of Tilting Stand

- Serial No.: 05049
- Customer: VÍTKOVICE HEAVY MACHINERY
- Order No.: 5123/05
- Circuit diagram: 3-H-38 534
- Implementation date: May 2006
- Main parameters:
 - reservoir volume 1 000 dm³
 - pump 2x A10VSO - axial piston
 - electromotor 2x 22 kW, 500 V, 1460 rpm
 - working pressure 12 MPa
 - working flow 80 dm³.min⁻¹
 - scope of delivery hydraulic system

Introduction of the Company

Group D - examples



Custom-designed HPU -

HS of Manipulator

– Serial No.:	05049
– Customer:	Mittal Steel Ostrava a.s.,
– Order No.:	5142/05
– Circuit diagram:	1-H-38 861
– Implementation date:	June 2006
– Main parameters:	
reservoir volume	5000 dm ³
pump	3x variable axial piston pump with pressure controller
electromotor	3x 37 kW, 400 V, 1475 rpm
working pressure	21,5 MPa
working flow	3x 98 dm ³ .min ⁻¹
scope of delivery	hydraulic power unit

Introduction of the Company

Group D - examples

Example of Systems – Tilting Stand, 3.5m Four-High Rolling Mill



Introduction of the Company

Customers – Group E

Hydraulic Test Stands

• **Distinctiveness :**

- final product – we cover also mechanical part and control system including visualization;
- the design is to be defined in accordance with a test type (e.g. definition by norm) and customer requirements;
- low chance of repeatability – to a great extend unique products;
- test stands for new items development and also for series testing;
- especially for companies from hydraulic branch (testing of hydraulic items, filters, custom-designed manifolds);
- it refers to manufacturers of product (final customers from our point of view);
- customers: ARGO-HYTOS, Integrated, Sauer Danfoss, Mann+Hummel.

Main strong points - advantages:

- high level of technical know-how in hydraulics branch + cooperation with prestigious companies in the field of control, data collecting and storing enable us to supply sophisticated systems and fulfill extreme requirements, e.g. testing of components for automobile industry;
- complexity and references – systems with wide range of parameters, high pressures and high frequent tests.

Introduction of the Company

Group E - examples



Custom-designed HPU –

- Serial No.: 08019
- Customer: ARGO-HYTOS, s.r.o.
- Order No.: 8023/08
- Circuit diagram: 1-H-41 546
- Implementation date: June 2008

Test Stand L040 for Pressure Relief Valves

- Main parameters:
 - reservoir volume 400 dm³
 - pump a3D135+i1D4+p1D4 triple gear
 - electromotor 1,1/4/30 kW, 230/400/690 V, 1500/900 rpm
 - working pressure 2x37/130/3,6 MPa
 - working flow 42 dm³.min⁻¹
 - scope of delivery test stand

Introduction of the Company

Group E - examples




Custom-designed HPU -

Test Stand GP3

– Serial No.:	08023
– Customer:	Integrated Hydraulics Ltd
– Order No.:	8028/08
– Circuit diagram:	1-H-39 860/A
– Implementation date:	May 2008
– Main parameters:	
reservoir volume	1300 dm ³
pump	T6C-031, PV023, PR4-3X/3
electromotor	3/2,2/22/4/1,1/11/4 kW,415/3x415V, 1420/940/1470/1440/915 rpm
working pressure	2x37/130/3,6 MPa
working flow	142/3,1/33/4,8/1,3/13,1/4,6 dm ³ .min ⁻¹
scope of delivery	test stand

Introduction of the Company

Group D - examples



Custom-designed HPU -

- Serial No.:
- Customer:
- Order No.:
- Circuit diagram:
- Implementation date:

Test Stands for Hydraulic Power Units

08041
ARGO-HYTOS, s.r.o.
8047/08
1-H-42 176
October 2008

- Main parameters:

reservoir volume 250 dm³
pump gear
electromotor 0,45/0,25 kW, 400 V,
2700/1400rpm

working pressure 35 MPa


working flow 16/8 dm³.min⁻¹

scope of delivery test stands for HPU - 5 pcs

Introduction of the Company

Group D - examples

Example of Test Stands Implementation – Integrated, ARGO-HYTOS





We produce fluid power solutions

www.argo-hytos.com

We produce fluid power **solutions**